

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	switch\$3 and allocat\$3 with identifi\$7 same (leg port pin) and ("AAL2" AAL\$1"2") and memory	USPAT	OR	OFF	2005/11/04 22:04
S2	4	switch\$3 and allocat\$3 with identifi\$7 same (leg port pin) and ("AAL2" AAL\$1"2" (ATM adj adaption adj layer)) and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:56
S3	13	switch\$3 and (allocat\$3 assign\$3) same (vpi vci "vpi/vci") same (resource bandwidth channel) and (request setup set\$1up) and (leg port pin) and ("AAL2" AAL\$1"2") and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/06 19:13
S4	2	"20030165143"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:55
S5	981	370/395.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:32
S6	2	S5 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 15:56
S7	128	370/395.64.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/04 17:32
S8	537	370/229.ccls.	USPAT	OR	OFF	2005/11/04 22:05
S9	13	switch\$3 and (allocat\$3 assign\$3) same (vpi vci "vpi/vci") same (resource bandwidth channel) and (request setup set\$1up) and (leg port pin) and ("AAL2" AAL\$1"2") and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/06 19:14

← lost data when
Un-Save →

B&N 